



**RETAIL FOOD ESTABLISHMENT
INSPECTION REPORT**

State Form 48669 (R2/2-05)
SDH Form 51-0001

Decatur Co Health Dept
100 W Main St
Muncie IN 47305
765-747-7721
765-747-7747 Fax
930 1225

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name McL Rest. & Bakery	Telephone Number 765289-2955	Date of Inspection (mm/dd/yr) 2/27/13	ID # 59
Establishment Address (number and street, city, state, ZIP code) 3501 Grandville Ave Muncie IN 47303	() Owner	Follow-up	Release Date 3913
Owner Craig McCaughey	Purpose: 1. <u>Routine</u>	Summary of Violations: C / NC S R	
Owner's Address 2730 E 62nd St Indianapolis IN 46220	2. Follow-up	Menu Type (See back of page) 1 2 3 4 5	
Person in Charge Wendy Engle	3. Complaint		
Responsible Person's E-mail	4. Pre-Operational		
Certified Food Handler Wendy Engle	5. Temporary		
	6. HACCP		
	7. Other (list)		

- CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
- VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
177	NC		Several pans of cooked food in pots in the Braze Marie Hot Holding was observed without any protective cover	Today
213	NC		Brushes used to apply butter or oils was observed made out of wood.	Today
295	NC		The following non-food contact surfaces was observed not maintained clean to sight or touch A.) Oven + charbroiler had grease build up B.) can open C.) Ice bins / service line and carry out had debris around edges	Today
187	C		Food items in cold holding reach in cooler was observed not maintained at the required temp. A) cole slaw 54° B) shredded cheese 52° C) Diced melon 50°	Today
410	NC		Several lights were observed without shielding or shatter proof A.) Heat Lamps front service line B) overhead lights kitchen area	
431	NC		Floors and walls under equipment, tables, and under dish machine and the dry storage area was observed soiled	Today

COMPLETED

Received by (name and title printed): X Wendy Engle Manager	Inspected by (name and title printed): Terry Traxell
Received by (signature): <i>Wendy Engle</i>	Inspected by (signature): <i>Terry Traxell</i>
cc:	cc: