



# DELAWARE COUNTY HEALTH DEPARTMENT

100 WEST MAIN STREET, ROOM 207  
MUNCIE, INDIANA 47305  
OFFICE (765)747-7721  
FAX (765)747-7747

## SWIMMING POOL - INSPECTION REPORT

**NAME:** Country Village **TYPE OF POOL:** Seasonal

**LOCATION / ADDRESS OF POOL** Muncie, IN 47304

**SANITARIAN:** Christiana Mann **DATE:** 7-21-10

An inspection of your swimming pool has been made this day and you are directed to correct conditions marked with an ( x ).

- A. Pool Structure:**
- 1. Floors, Walls, Runways (✓)
  - 2. Scum gutters, Skimmers (✓)
  - 3. Ladders, Stairs, Stepholes (✓)
  - 4. Diving boards, Float, Depth (✓)
  - 5. Inlets, Outlets, Circulation (✓)
  - 6. Piping (✓)
  - 7. Fencing (✓)
  - 8. Other \_\_\_\_\_ ( )

- F. Showers, Toilets, Dressing Rooms**
- 1. Clean, Adequate, Access (✓)
  - 2. Ventilation (✓)
  - 3. Hot, Cold water (✓)
  - 4. Soap, Towels (✓)
  - 5. Disinfection ( )
  - 6. Lavatories (✓)
  - 7. Clothing Storage ( )
  - 8. Refuse Containers (✓)
  - 9. Other \_\_\_\_\_ ( )

- B. Supplemental Facilities:**
- 1. Food Service (✓)
  - 2. Emergency Equipment (✓)
  - 3. Other \_\_\_\_\_ ( )

*FIRST AID IN OFFICE*

- G. Records**
- 1. Number of Bathers ( )
  - 2. Temp-water 78 (F) ( )
  - 3. Operational Data ( )
  - 4. Other \_\_\_\_\_ ( )

- C. Recirculation, Disinfection System**
- 1. Filtration, Disinfection (✓)
  - 2. Other \_\_\_\_\_ ( )

- H. Bather Control**
- 1. Cleansing Shower (✓)
  - 2. Communicable Disease (✓)
  - 4. Placards Displayed (✓)
  - 5. Common Comb, Towel ( )
  - 6. Rented Suits and Towels Properly Handled and Clean ( )
  - 7. Other \_\_\_\_\_ ( )

- D. Buildings, Galleries, Enclosures**
- 1. Walls, Floors, Ceilings, Part (✓)
  - 2. Lights, Heating, Ventilation (✓)
  - 3. Plumbing, Drainage (✓)
  - 4. Surroundings (✓)
  - 5. Appurtenances ( )
  - 6. Other \_\_\_\_\_ ( )

- I. Hot Tub / Spa**
- 1. Disinfect Level \_\_\_\_\_ ppm ( )
  - 2. pH 7.4 ( )
  - 3. Other \_\_\_\_\_ ( )
  - 4. Other \_\_\_\_\_ ( )
  - 5. Other \_\_\_\_\_ ( )
  - 6. Other \_\_\_\_\_ ( )

- E. Water:**
- 1. Disinfect Level \_\_\_\_\_ ppm ( )
  - 2. Freedom From Turbidity, Debris, Growths ( )
  - 3. pH 7.4 ( )
  - 4. Other \_\_\_\_\_ ( )

**Remarks:** SAFETY RING, NEED LIDS FOR TRASH CANS

**Signature (Operator / Manager)** *Nancy Hoffman Kepler Ridge*  
292-8887 ERICA