

## RETAIL FOOD ESTABLISHMENT INSPECTION REPORT

State Form 48669 (R2/2-05) SDH Form 51-0001 DEPARTMENT OF HEALTH 100 W MAIN RM 207 MUNCIE IN 47305-2874 (765) 747-7721

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

The time in	mit for cor	геспо	n of each violation is specified in the narrative portion of th	is report.		
Establishment Name				Telephone Number	Date of Inspection ID #	
Che	sterf	10	'5	765.289-2291	(mm/dd/yr)	
Establishment Address (number and street, city, state, ZIP code)				( ) Owner	2-15-13	
108 S Walnut Street, Muncic IN 47305						
Owner Purpose: Follow-up Release Date						
T T I A I A II						
Owner's Address				1. Routine	No 2-25-2013	
				2. Follow-up	Summary of Violations:	
108 S. Walnut Street, Munar IN 4730S				3. Complaint	1 1 0	
Person in Charge				4. Pre-Operational	$C_l NC_l R_0$	
Kyai	n $13$	21		5. Temporary		
Responsible	e Person's	E-ma	il	Section of the sectio	Menu Type (See back of page)	
\( \lambda \lambda \lambda \lambda \)				6. HACCP	/	
Certified F	ood Handl	er	30 J	7. Other (list)	1 2 / 3 4 5	
Con	Bary Abba#5890249 5-5-2013				7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
				1	2:20	
• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" 115. 3:30						
• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"						
Section#	C/NC	R	Narrative		To Be Corrected By	
294	0		· There was no measurable	sonitizer in	Alson	
OK I I			THERE WAS NO THESS FABILE	1	11178004	
			the sanitizer bucket used at	- the prep serie	c corrected	
			area. The sanitizer dispense	r was empty	or +	
			the three bay sink			
0110	0.1				1,	
342	NC		· The handsink being used by	y employees as	t Hot water	
45 6	the front counter does not supply 100 mater. heater is prin					
		Ht the time of inspection the water reached replaced				
	845					
I tems that use 120P done in hous ! Immidially						
	Reduced Grengen Packaged, products may					
not be used in Chesterfields or school						
1		-				
					AND THE THE	
					MAN H. WILLIAM	
					MILLIAN THE PROPERTY OF THE PARTY OF THE PAR	
				~		
Received by (name and title printed):  Inspected by (name and title printed):						
D S P 11   S1 = D.						
Maron I Patrice						
Received by (signature): Inspected by (signature):						
Marail Valle						
cc: cc: cc:						