



**RETAIL FOOD ESTABLISHMENT  
INSPECTION REPORT**

State Form 48669 (R2/2-05)  
SDH Form 51-0001

Delaware County Health Dept  
100 W Main Street  
Muncie, IN 47305

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24, Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

2:54-4:13

Establishment Name <b>Dairy Queen-Bethel</b>	Telephone Number ( ) Establishment <b>765-287-8244</b> ( ) Owner	Date of Inspection (mm/dd/yr) <b>2-25-13</b>	ID # /
Establishment Address (number and street, city, state, ZIP code) <b>3820 W Bethel, Muncie IN 47305</b>	Owner <b>Chad Anderson</b>	Follow-up <b>No</b>	Release Date <b>3-5-2013</b>
Owner's Address <b>420 W Washington St, Suite #202 Muncie IN 47305</b>	Purpose: <u>1. Routine</u> 2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)	Summary of Violations: <b>C 4 NC 1 R 2</b>	
Person in Charge <b>Hanna Meyer</b>	Responsible Person's E-mail <b>N/A</b>	Menu Type (See back of page) <b>1 2 <input checked="" type="checkbox"/> 3 4 5</b>	
Certified Food Handler <b>Jennifer S. Cooper 6/30/2015 #7199400</b>			

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
136	C		• One container of vanilla ice cream, with a spoon in it was observed partially eaten but stored on top of the chest freezer at the fryer/grill area.	Already corrected
187	C		• Sliced processed cheese stored on the food/sandwich prep line measured 54F.	5 minutes
204	C		• The white plastic drop plate in the back room ice machine has become loose under pressure. Three bolts directly over the ice are missing three others are loose. Mineral deposits are draining from the bolts. The side of the plastic has a dark substance	1 hour to clean. Immediately bolts need repaired
345	C		• Two pickles were observed in the bottom of the hand sink	Already Corrected
430	NC		• In the back room walkway outside the	14 days

Received by (name and title printed):

**Hanna Meyer**

Received by (signature):

*Hanna Meyer*

Inspected by (name and title printed):

Inspected by (signature):

COMPLETED

cc:

cc:

cc: